

Abmessungsliste

Führungsringe für Kolben



Werkstoff: POM

NAGEL



Außen-Ø	Innen-Ø	Höhe	Werkstoff
16,00	12,00	9,60	POM
18,00	14,00	9,60	POM
20,00	16,00	9,40	POM
22,00	18,00	9,40	POM
24,00	20,00	9,60	POM
25,00	20,00	5,60	POM
25,00	20,00	9,70	POM
25,00	21,00	8,00	POM
25,00	21,00	9,50	POM
25,00	21,90	3,80	POM
25,00	22,00	4,00	POM
26,00	22,00	9,60	POM
27,00	22,00	5,60	POM
27,00	22,00	9,70	POM
27,00	23,00	9,60	POM
28,00	24,00	9,60	POM
30,00	25,00	5,40	POM
30,00	25,00	9,70	POM
30,00	26,00	9,50	POM
30,00	27,00	3,90	POM
32,00	26,00	9,80	POM
32,00	27,00	5,40	POM
32,00	27,00	9,70	POM
32,00	28,00	9,50	POM
32,00	28,90	3,80	POM
33,00	28,00	5,50	POM
33,00	28,00	9,50	POM
34,00	28,00	9,50	POM
34,00	30,00	9,60	POM
35,00	29,00	9,50	POM
35,00	29,00	9,80	POM
35,00	30,00	5,40	POM
35,00	30,00	8,00	POM
35,00	30,00	9,50	POM
35,00	30,00	15,00	POM
35,00	31,00	9,50	POM
35,10	32,00	3,80	POM
36,00	32,00	9,60	POM
36,00	33,00	3,80	POM

Abmessungsliste

Führungsringe für Kolben



Werkstoff: POM

NAGEL



Außen-Ø	Innen-Ø	Höhe	Werkstoff
37,00	32,00	5,50	POM
37,00	32,00	9,70	POM
37,00	33,00	8,00	POM
38,00	34,00	9,60	POM
38,10	31,75	9,52	POM
38,10	32,11	9,98	POM
40,00	34,00	9,50	POM
40,00	34,00	9,70	POM
40,00	35,00	5,40	POM
40,00	35,00	6,10	POM
40,00	35,00	9,50	POM
40,00	35,00	15,00	POM
40,00	36,00	9,50	POM
41,00	35,00	19,80	POM
41,00	36,00	5,40	POM
41,00	36,00	9,50	POM
41,00	38,00	20,80	POM
41,27	38,10	25,40	POM
42,00	38,00	9,60	POM
44,45	38,45	9,98	POM
45,00	39,00	9,80	POM
45,00	40,00	4,80	POM
45,00	40,00	5,40	POM
45,00	40,00	9,50	POM
45,00	40,00	9,60	POM
45,00	40,00	15,00	POM
45,00	40,00	20,00	POM
45,00	41,00	9,50	POM
45,00	41,00	10,00	POM
46,00	40,00	10,00	POM
46,00	40,00	12,80	POM
46,00	41,00	5,40	POM
46,00	42,00	9,60	POM
47,62	44,45	25,40	POM
48,00	42,00	9,60	POM
48,00	43,00	5,60	POM
49,00	43,00	9,60	POM
49,00	45,00	19,80	POM
50,00	43,50	5,60	POM

Abmessungsliste

Führungsringe für Kolben



Werkstoff: POM

NAGEL



Außen-Ø	Innen-Ø	Höhe	Werkstoff
50,00	44,00	9,50	POM
50,00	44,00	12,80	POM
50,00	45,00	5,40	POM
50,00	45,00	9,50	POM
50,00	45,00	15,00	POM
50,00	46,00	15,00	POM
50,80	44,45	19,05	POM
50,80	44,80	9,98	POM
52,00	46,00	12,80	POM
53,00	47,00	12,80	POM
53,97	49,21	6,35	POM
53,97	50,80	25,40	POM
55,00	49,00	9,30	POM
55,00	49,00	9,80	POM
55,00	49,00	12,50	POM
55,00	49,00	26,00	POM
55,00	50,00	5,40	POM
55,00	50,00	8,00	POM
55,00	50,00	9,50	POM
55,00	50,00	15,00	POM
55,00	50,00	20,00	POM
55,00	51,00	9,80	POM
56,00	50,00	10,00	POM
56,00	50,00	12,80	POM
56,60	50,00	9,90	POM
57,00	51,00	12,80	POM
57,15	50,80	19,05	POM
60,00	54,00	9,30	POM
60,00	54,00	9,60	POM
60,00	54,00	10,00	POM
60,00	54,00	12,50	POM
60,00	54,00	13,00	POM
60,00	55,00	5,40	POM
60,00	55,00	5,60	POM
60,00	55,00	9,50	POM
60,00	55,00	9,70	POM
60,00	55,00	15,00	POM
60,00	56,00	7,90	POM
60,00	56,00	9,60	POM

Abmessungsliste

Führungsringe für Kolben



Werkstoff: POM

NAGEL



Außen-Ø	Innen-Ø	Höhe	Werkstoff
60,00	56,00	10,00	POM
61,00	56,00	5,60	POM
61,00	56,00	9,70	POM
62,00	55,60	10,00	POM
62,00	56,00	9,50	POM
62,00	56,00	12,80	POM
62,00	56,00	20,00	POM
63,00	57,00	9,80	POM
63,00	57,00	12,50	POM
63,00	58,00	5,40	POM
63,00	58,00	9,50	POM
63,00	58,00	9,80	POM
63,00	59,00	9,50	POM
63,50	57,50	13,00	POM
64,00	60,00	10,00	POM
64,00	60,00	19,30	POM
65,00	59,00	12,50	POM
65,00	59,00	12,70	POM
65,00	60,00	5,30	POM
65,00	60,00	8,00	POM
65,00	60,00	9,50	POM
65,00	60,00	15,00	POM
66,00	60,00	9,50	POM
67,00	63,00	9,80	POM
68,00	63,00	5,60	POM
68,00	63,00	9,50	POM
69,00	63,00	30,00	POM
69,60	64,00	6,35	POM
69,85	63,85	13,00	POM
70,00	64,00	10,00	POM
70,00	64,00	12,50	POM
70,00	65,00	5,40	POM
70,00	65,00	7,00	POM
70,00	65,00	9,50	POM
70,00	65,00	15,00	POM
70,00	66,00	9,80	POM
72,00	66,00	12,80	POM
72,00	66,00	26,00	POM
72,00	67,00	5,40	POM

Abmessungsliste

Führungsringe für Kolben



Werkstoff: POM

NAGEL



Außen-Ø	Innen-Ø	Höhe	Werkstoff
75,00	69,00	12,50	POM
75,00	70,00	5,40	POM
75,00	70,00	9,50	POM
75,00	70,00	15,00	POM
75,00	70,00	30,00	POM
76,00	70,00	12,80	POM
76,20	69,80	25,04	POM
76,20	69,85	19,05	POM
76,20	70,20	13,00	POM
77,00	71,00	12,80	POM
80,00	72,00	6,00	POM
80,00	74,00	12,00	POM
80,00	74,00	12,50	POM
80,00	75,00	5,40	POM
80,00	75,00	8,00	POM
80,00	75,00	9,50	POM
80,00	75,00	15,00	POM
80,00	76,00	15,00	POM
80,00	76,50	9,45	POM
82,00	76,00	26,00	POM
82,55	76,20	19,05	POM
83,00	75,00	9,50	POM
83,00	77,00	12,80	POM
85,00	79,00	12,50	POM
85,00	80,00	5,60	POM
85,00	80,00	9,50	POM
85,00	80,00	15,00	POM
85,00	80,00	19,80	POM
86,00	80,00	19,20	POM
86,00	80,00	30,00	POM
86,50	80,20	5,00	POM
88,90	82,90	9,52	POM
88,90	82,90	13,00	POM
89,00	83,00	12,80	POM
90,00	84,00	12,50	POM
90,00	84,00	13,00	POM
90,00	85,00	5,50	POM
90,00	85,00	5,90	POM
90,00	85,00	9,50	POM

Abmessungsliste

Führungsringe für Kolben



Werkstoff: POM

NAGEL



Außen-Ø	Innen-Ø	Höhe	Werkstoff
90,00	85,00	9,70	POM
90,00	85,00	15,00	POM
92,00	86,00	12,80	POM
93,00	87,00	12,80	POM
94,00	88,00	12,80	POM
94,00	90,00	15,00	POM
95,00	89,00	12,50	POM
95,00	90,00	5,60	POM
95,00	90,00	9,50	POM
95,00	90,00	15,00	POM
96,00	90,00	30,00	POM
100,00	94,00	12,50	POM
100,00	94,00	12,80	POM
100,00	94,00	13,00	POM
100,00	95,00	5,40	POM
100,00	95,00	9,50	POM
100,00	95,00	10,00	POM
100,00	95,00	14,80	POM
100,00	95,00	15,00	POM
100,00	96,00	10,00	POM
100,00	96,00	15,00	POM
101,60	95,60	13,00	POM
103,00	95,00	9,50	POM
104,00	100,00	15,00	POM
105,00	99,00	12,80	POM
105,00	100,00	5,60	POM
105,00	100,00	9,70	POM
105,00	100,00	15,00	POM
105,00	100,00	15,20	POM
105,00	101,00	15,00	POM
107,95	101,95	13,00	POM
110,00	104,00	10,00	POM
110,00	104,00	12,50	POM
110,00	105,00	9,50	POM
110,00	105,00	14,80	POM
110,00	106,00	14,70	POM
112,00	106,00	12,80	POM
114,00	108,00	12,80	POM
114,30	108,30	13,00	POM

Abmessungsliste

Führungsringe für Kolben



Werkstoff: POM

NAGEL



Außen-Ø	Innen-Ø	Höhe	Werkstoff
115,00	105,00	16,80	POM
115,00	105,00	17,00	POM
115,00	109,00	12,50	POM
115,00	110,00	9,50	POM
120,00	114,00	12,50	POM
120,00	114,00	13,00	POM
120,00	115,00	9,50	POM
120,00	115,00	15,00	POM
121,00	115,00	12,80	POM
125,00	119,00	12,50	POM
125,00	119,00	15,00	POM
125,00	120,00	5,60	POM
125,00	120,00	9,50	POM
125,00	120,00	15,00	POM
125,00	121,00	20,00	POM
126,00	120,00	12,80	POM
127,00	121,00	12,80	POM
127,00	121,00	13,00	POM
130,00	124,00	12,50	POM
130,00	124,00	13,00	POM
130,00	125,00	7,00	POM
135,00	129,00	12,60	POM
135,00	130,00	15,00	POM
140,00	133,00	15,00	POM
140,00	133,00	19,80	POM
140,00	134,00	12,50	POM
140,00	134,00	13,00	POM
140,00	135,00	9,50	POM
140,00	135,00	15,00	POM
144,00	138,00	12,80	POM
145,00	139,00	12,80	POM
145,00	140,00	15,00	POM
148,00	142,00	12,80	POM
149,00	143,00	12,80	POM
150,00	143,00	19,80	POM
150,00	144,00	12,50	POM
150,00	144,00	19,00	POM
150,00	144,00	40,00	POM
150,00	145,00	9,50	POM

Abmessungsliste

Führungsringe für Kolben



Werkstoff: POM

NAGEL



Außen-Ø	Innen-Ø	Höhe	Werkstoff
150,00	146,00	10,00	POM
152,00	146,00	19,20	POM
152,40	146,40	13,00	POM
154,00	150,00	15,00	POM
155,00	149,00	19,20	POM
156,00	150,00	19,00	POM
160,00	154,00	19,00	POM
160,00	155,00	9,50	POM
160,00	155,00	15,00	POM
165,00	159,00	19,20	POM
165,00	160,00	15,00	POM
166,00	160,00	12,50	POM
169,00	163,00	19,20	POM
170,00	164,00	19,20	POM
170,00	165,00	15,00	POM
175,00	169,00	19,20	POM
175,00	170,00	15,00	POM
180,00	174,00	19,00	POM
180,00	175,00	9,50	POM
185,00	179,00	19,20	POM
185,00	180,00	15,00	POM
190,00	184,00	19,20	POM
190,00	185,00	15,00	POM
195,00	189,00	19,20	POM
195,00	190,00	15,00	POM
200,00	194,00	19,00	POM
200,00	194,00	19,50	POM
200,00	195,00	15,00	POM
205,00	199,00	19,20	POM
210,00	204,00	19,20	POM
210,00	205,00	9,70	POM
215,00	209,00	19,20	POM
220,00	214,00	19,00	POM
225,00	219,00	19,00	POM
226,00	220,00	19,00	POM
230,00	224,00	19,20	POM
235,00	229,00	19,20	POM
240,00	234,00	19,20	POM
245,00	239,00	19,20	POM

Abmessungsliste

Führungsringe für Kolben



Werkstoff: POM

NAGEL



Außen-Ø	Innen-Ø	Höhe	Werkstoff
250,00	244,00	19,00	POM
250,00	244,00	19,50	POM
255,00	249,00	19,20	POM
260,00	254,00	19,20	POM
265,00	259,00	19,20	POM
270,00	264,00	19,20	POM
275,00	269,00	19,20	POM
280,00	274,00	19,20	POM
285,00	279,00	19,20	POM
290,00	284,00	19,20	POM
295,00	289,00	19,20	POM
300,00	294,00	19,20	POM